

	Type	Hits	Search Text	DBs
25	BRS	1	"20020020844"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
26	BRS	0	"20020020844" and (chang\$4 or modif\$4) same operating	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
27	BRS	0	"20020020844" and (chang\$4 or modif\$4) same instance	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
28	BRS	1	"20020010844"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
29	BRS	1	"20020010844" and (chang\$4 or modif\$4) same operating	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
30	BRS	534	system adj5 wide adj4 function\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
31	BRS	14	(system adj5 wide adj4 function\$4).ab.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
32	BRS	1	((system adj5 wide adj4 function\$4) and (boot\$3 or reboot\$3 or restart\$4)).ab.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
33	BRS	11	((system adj5 wide) and (boot\$3 or reboot\$3 or restart\$4)).ab.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
34	BRS	2851	((system adj5 wide) and (boot\$3 or reboot\$3 or restart\$4)).detd.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
35	BRS	1	((system adj5 wide) and (boot\$3 or reboot\$3 or restart\$4) with (chang\$4 or modif\$4)).ab.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
36	BRS	0	((system adj5 wide) and (boot\$3 or reboot\$3 or restart\$4) same (private)).ab.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
37	BRS	0	((system adj5 wide) and (boot\$3 or reboot\$3 or restart\$4) same (private)).clm.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	Time Stamp
25	2004/10/06 12:00
26	2004/10/06 12:01
27	2004/10/06 12:01
28	2004/10/06 12:01
29	2004/10/06 12:34
30	2004/10/06 12:35
31	2004/10/06 12:35
32	2004/10/06 12:37
33	2004/10/06 12:38
34	2004/10/06 12:39
35	2004/10/06 12:43
36	2004/10/06 12:43
37	2004/10/06 12:44

	Type	Hits	Search Text	DBs
38	BRS	30	((system adj5 wide) and (boot\$3 or reboot\$3 or restart\$4) same (private)).detd.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
39	BRS	0	"20020020844" and system	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
40	BRS	1	"20020010844" and system	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
41	BRS	405	(access\$4 or read\$4 or writ\$4) with private with node	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
42	BRS	40	(access\$4 or read\$4 or writ\$4) with private with (storge or memory) with node	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
43	BRS	4	(access\$4 or read\$4 or writ\$4) with private with (storge or memory) with node with (modif\$4 or chang\$4 or alter\$8)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
44	BRS	0	(access\$4 or read\$4 or writ\$4) with private with (storge or memory) with node with (modif\$4 or chang\$4 or alter\$8) with (boot\$4 or reboot\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
45	BRS	0	(access\$4 or read\$4 or writ\$4) same private same (storge or memory) same node same (modif\$4 or chang\$4 or alter\$8) same (boot\$4 or reboot\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
46	BRS	2056	(access\$4 or read\$4 or writ\$4) and private and (storge or memory) and node and (modif\$4 or chang\$4 or alter\$8) and (boot\$4 or reboot\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
47	BRS	0	((access\$4 or read\$4 or writ\$4) and private and (storge or memory) and node and (modif\$4 or chang\$4 or alter\$8) and (boot\$4 or reboot\$4)).ab.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	Time Stamp
38	2004/10/06 12:45
39	2004/10/06 12:45
40	2004/10/06 12:53
41	2004/10/06 12:54
42	2004/10/06 14:06
43	2004/10/06 14:08
44	2004/10/06 14:09
45	2004/10/06 14:10
46	2004/10/06 14:10
47	2004/10/06 14:10

	Type	Hits	Search Text	DBs
48	BRS	1563	((access\$4 or read\$4 or writ\$4) and private and (storge or memory) and node and (modif\$4 or chang\$4 or alter\$8) and (boot\$4 or reboot\$4)).detd.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
49	BRS	116	(lpar or (logical adj5 processor)) with node	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
50	BRS	562	(modif\$8 or chang\$6 or alter\$8) with private with (memory or storage or cache)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
51	BRS	64	((modif\$8 or chang\$6 or alter\$8) with private with (memory or storage or cache)).ab.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
52	BRS	10	((read\$4 or writ\$4 or access\$4) with (modif\$8 or chang\$6 or alter\$8) with private with (memory or storage or cache)).ab.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
53	BRS	168	((read\$4 or writ\$4 or access\$4) with (modif\$8 or chang\$6 or alter\$8) with private with (memory or storage or cache))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
54	BRS	1	(private and memory and access and multi and node and system).ti.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
55	BRS	222410	((private and memory and access and multi and node and system).ti.) modulated	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
56	BRS	1	((private and memory and access and multi and node and system).ti.) and modulated	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
57	BRS	0	(main or base) adj5 node same coalesce with system	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
58	BRS	0	(main or base) adj5 node same (coalesce with system)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	Time Stamp
48	2004/10/06 14:11
49	2004/10/06 14:17
50	2004/10/06 14:18
51	2004/10/06 14:23
52	2004/10/06 14:24
53	2004/10/06 14:56
54	2004/10/06 14:35
55	2004/10/06 14:35
56	2004/10/07 17:25
57	2004/10/06 14:56
58	2004/10/06 14:58

	Type	Hits	Search Text	DBs
59	BRS	1442	private with node with network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
60	BRS	174	(private with node with network).ab.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
61	BRS	5	(private with (memory or storage or cache) with node with network).ab.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	Time Stamp
59	2004/10/06 14:58
60	2004/10/06 14:58
61	2004/10/06 15:00